MINERAL SURVEY No. 3699.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	KNOWN AS THE
	Euride No.4 lode,
	Crawford Mining District,
	Navajo Indian Reservation County,Arizona
Times are are as a land.	
	ions dated September 13th. , 1920.
	100 40
	by allison & freques
	by Mineral Surveyor.
Claim located	by Wisson X Description of the Surveyor. U. S. Mineral Surveyor.
Survey commenced	February 13th., , 1921. March 31st., , 1921.
Survey commenced	February 13th., , 1921.
Survey commenced Survey completed Address of claima	March 31st., 1921. Agent,

Feet.

MINERAL SURVEY No.3699.

EURIDA No.4 LODE.

Beginning at Cor. No. 1, 10, te beauto at ant of eart called A

A hewn pinon post, 4 ft.long, 4 ins. by 6 ins. square, set 18 ins. in the ground, surrounded by amound of earth and stone, scribed, 1-E.4-3699, whence.

A cedar tree 18 ins.in diameter, blazed and scribed B.T.1-E.4-3699,

eachder, 2 of The top of a rock in place chiseled B.R.X, L-E.4-3699, bears N.75 565

U.S.M.M.No. -2 bears N.53° 45' 35"E.4988.91 ft.

are on , 2005-0. - - THENCE, N. 40 ° OO'W. at Moore to and add

Var.15° 25'E.

30.00 Center of draw. Flows S.50° 00'W.

300.00 To east end center,

Identical with the east end center of the amended location.

. H' do o HI MAY

A sandstone, 4 ft.6 ins.long, 6 ins.by 12 ins.square, set 12 ins.in the ground, surrounded by a mound of earth and stone, chiseled E.C.-E.4-

The location monument, Eurida No.4 lode bears, S.50° 00'W.550.00 ft.

600.00 To Cor.No.2,

Identical with Cor.No.2 of the amended location.

A hewn pinon post, 4 ft.long, 8 ins. square, set 18 ins.in the ground, surrounded by a mound of earth and stone, scribed 2-E.4-3699, whence,

Bears S.71° 32'W.51.80 ft.

A cedar tree, 12 ins.in diameter, blazed and scribed B.T.x-2-E.4-3699 bears S.77° 47'E.43.69 ft.

To bornio. or

THENCE, S.50 ? OO'W.

VAR -15 0 25 'E.

475.20 To Cor.No.3,

Identical with Cor.No.3 of the amended location.

A pinon post,4 ft.long,6 ins.square, set 18 ins.in the ground, surrounded by amound of earth and stone, scribed, 3-E.4-3699, whence,
A.cedar tree 8 ins.in diameter, blazed and scribed B.T.X-3-E.4-3699

bears S.7° 11'W.36.52 ft.

SURVEY .No .3699, (Continued.) Feet. . tees EURIDA No.4 LODE, (Continued.) A cedar tree 18 ins.in diameter, blazed and scribed B.T.X-3-E.4-3699, bears S.71° 45'E.47.80 ft. and to I. M. and date I actional out dies to be des, strugs en THENCE, S.78 00 W. L. e, thou honce amen a , 4235-1. -1 , bearing, and the VAR.15° 25'E. one to be the rese, harden 1034.71 To Cor. No.4, . - Identical with Cor. No. 4 of the amended location. An iron pipe, 3 ft.long, la ins.in diameter; set 10 ins.in solid rock, with an iron cap 32 ins.in diameter on top, stamped 4-E.4-3699, whence, 1.75 561 A cedar tree 24 ins.in diameter, blazed and scribed B.T.X-4-E.4-3699 bears S.8° 11'E.32.10 ft. The top of a rock in place chiseled B.R.X-4-E.4-3699, bears S.87° 15'E 57.15 ft. . I ad a at way THENCE, S:40° OO'E. VAR.15 ° 25 'E. rathen bus Juse of 339.77 To west end center, to reduce the face of the land two I was to be a set of the land two I Identical with the west end center of the amended location. A sandstone, 4 ft.long, 6 ins.by 12 ins.square, set 10 ins.in the ground surrounded by a mound of earth and stone, chiseled, E.C.-X-E.4-3699. 380.00 Center of draw, Flows S.80° 00'W. 679.54 To Cor. No.5, To Cor. Hard, Identical with Cor. No. 5 of the amended location. A hewn pinon post, 4 ft .long, 6, ins. square, set 18 ins. in the ground surrounded by a mound of earth and stone, scribed 5-E.4-3699, whence, A cedar tree 12 ins.in diameter, blezed and scribed B.T.X,5-E.4-3699, bears S.1° 15'E.35.57 ft. A cedar tree 20 ins.in diameter, blazed and scribed B.T.X,5-E.4-3699, bears N.41° 00'E.26.75 ft. THENCE, N. 78 ? 00 'E. VAR.15 º 25'E. 865.29 To Cor.No.6, E. of tol of Identical with Cor.No.6 of the amended location, A hewn pinon post,4 ft.long,6 ins.square, set, 18 ins.in the ground surrounded by a mound of earth and stone, scribed 6-E.4 -3699, whence, A cedar tree 10 ins.in diameter, blazed and scribed B.T.X,6-E.4-3699,

. D. St. N. T. C. T. C Place

bears S.31 ° 09'W.29.76 ft.

Feet:

SURVEY NO.3699(Continued.)

2

EURIDA NO.4 LODE (Continued.)

The face of a cliff chiseled, B.R.X,6-E.4 -3699, bears N.87° 14'W.

THENCE, N.50° OO'E.

vas, enduperant o vas and de, var.15° 25'E: Pather a st C.on. . b. a. C

475:00

Center of draw. Flows South.

624.80

To Cor.No.1, the place of beginning: The was and an action

LODE LINES.

As near as can be determined from present development the vein of the location embraced in this survey extends as follows from its discovery point:

Eurida No.4 lode,550 ft.running N.50° 00'E.and 950 ft.running S.78° 00'W.

AREA.

Total area Eurida No.4 lode,

20,661 acres.

tron the lote I det

LOCATION.

approx in Sec. 15, T. 13N, R&W, Navajo Base & Meridian, This survey is located upon unsurveyed lands, in the Carriso mountains. upon the Navajo Indian reservation. The approximate latitude is 36°.

46'N and the approximate longitude is 109° 12'W.

IMPROVEMENTS.

I certify, that the labor and improvements made upon or for the benefit of the location embraced in said mining claim, by the claimants or their grantors is as follows:

No.1 - The discovery cut Eurida No.4, the mouth of which being the discovery point, is on the lode line 550 ft. from the center of line 1-2,6 ft.wide,2 ft.deep, running N.50° 00'E.20 ft.to face.

No.2 - An open cut, the mouth of which is on the lode line 925 ft. from the center of line 4-5,4 ft.wide,6 ft.face, running N.78° 00'E.

20 ft.to face.

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

The instrument used in making this survey was a Buff & Buff Mining transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with a five hundred foot steel tape.

REPORT.

The lode line of the location of this claim was run directly upon the ground, and the several corners established by means of offsets 2 100 0 00 M 200 101 E from the lode lines

U.S.M.M.No.2 is a sandstone, 30 ins.long, 20 ins.by 6 ins.square, set 18 ins.in the ground, chiseled with an X on top and U.S.M.M.No.2, EURIDA on the east side, with the same and its second of the same

ADJOINING CLAIMS.

to min None. Transcrete web vessers most bonizered so had an mes ma

Note; - The discovery cut of the location embraced in this survey shows ore or a vein in place. The lode line, which has an angle in it is located following the ledge or vein which outcrops and is readily traced upon the ground.

Total A. oll spread Harm Istol

to make such attemptation and improvements and instructions of the tenter when the entered without out to dille.

to divine sale, to a relate two was very bout - 1. di

discovery peter, is an the lost line for it. from the center of line

onde not sue mouse of which is on the lought back It.

self. E. J. abiv. c. t. t. and to tet as and self-

erro.

ld ban metel as mail from out full cost passallen even sammen of

DESCRIPTION OF U.S.M.M.No.2.

U.S.M.M.No.2 is a white sandstone 30 ins.long, 6 ins.by 20 ins.squere 18 ins.in the ground. Monument is set on prominent ridge higher than the surrounding country. Monument is chiseled X on top, U.S.M.M.No.2 EURIDA on the east side.

A monument of stone 4 ft.high and 6 ft.square bears east 5 ft.

A pinon tree, (low and bushy) 9 ins.in diameter, balazed and scribed B.T.X, M.M. beams N.6° 14'E.49.80 ft/

A pinon tree, (low and Bushy), 8 ins.in diameter, blazed and scribed B.T.X,M.M., bears N.28° 45°E.80.00 ft.

A pinon tree, (low and bushy), 8 ins.in diameter, blazed and scribed B.T.X, M.M., bears N.84° 30'E.68.00 ft.

The N.W.Cor.of Aztec ruin bears S.55 49 E.189.90 ft.

The south side of Finger peak bears S.62° 38'E.

A prominent peak bears S.0° 18'W.

Junction of north and south forks of Toh-Chin-Lin creek bears S.81° 18'W.

Alhambra rock bears N.70° 55 W.

U.S.M.M.No.1 bears N.3° 42' 50"E.35083.80 ft. 6 m 3403 ft.
U.S.M.M.No.3 bears S.5° 24' 31"E.19964.93 ft. 3 m 4 125 FT

Lan 36:46 N Say 109 12W

Sal- 35010.12 Def 2294.18

5280 135070 6 Mules 3321

goris A

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of	the individuals employed by Allison L.Kroeger,
United States Mineral Surv	veyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the	foregoing field notes of the survey of the mining claim of
J.L. Wade, John F	.Wade, Charles Snell and Mrs. Ura Crawford,
known as the	Eurida No .4 lode
	capacities in which they acted.
	Rollin Ritter , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	, riagman.
FIN	IAL OATHS OF ASSISTANTS.
	r,
	, do solemnly swear that we assisted
he houndaries of the	g claim ofJ.LWade, John F.Wade, Charles Snell and
known as the Eurid	a No.4 Lode
represented in the foregoing	field notes as having been surveyed by said mineral surveyor and under his
lirection; and that said surv	rey has been in all respects, to the best of our knowledge and belief, faithfully
nd correctly executed, and th	ne corner and boundary monuments established according to law and the instruc-
ions furnished by the United	States Surveyor-General for Arizona.
	Rollin Ritter, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
Subscribe	ed and sworn to by the above-named persons before me this
day	of April 1921
My Commissio	n Expires Sept. 26, 1921 Robert & Clements
	Violary Ville in and
	La Vlala Courle- lots

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Allison L.Kro	eger,	, U. S. Mineral Surveyor,
do solemnly swear that, in pursua		
Surveyor General for		
Sept .13th.1920.	, I have, in strict e	conformity to the laws of the
United States, the official regulation	ons and instructions there	eunder, and the instructions
of said Surveyor General, faithful		
Claim of J.L. Wade, John F. Wad		
Euric	la No.4 lode,	
situate in	Grawford	Mining District,
Apache	County Arizons.	in Castian
Approx Sec. 15. Township No. 1.13 and designated as Survey No.	o Indian reservation,	Unsur, Navaja B. & M.
and designated as Survey No	3699	as represented
in the foregoing field notes, which		
as distinctly marked by monuments	s on the ground, and desc	cribed in the attached copy
of the location certificate, which w	as received by me from	the Surveyor General with
said instructions, and that all the c	orners of said survey hav	e been established and per-
petuated in strict accordance with	the law, official regulati	ons and instructions there-
under; and I do further solemnly	swear that the foregoing	are the true and original
field notes of said survey and my	report therein, and that	t the labor expended and
improvements made upon said min	ing claim by claimantsor	their grantors
are as therein fully stated, and the	at the character, extent, lo	ocation, and itemized value
thereof are specified therein with j	particularity and full deta	ail, and that no portion of
said labor or improvements so cred	ited to this claim has bee	en included in the estimate
of expenditures upon any other claim	a	
	600	PA
	allison	U. S. Mineral Surveyor.
		o. p. Mineral Surveyor.
Subscribed and sworn to by the		eger,
U. S. Mineral Surveyor, before in and for La Vlat	a Court file	menn a noury rudus
0/1	2 Courag xou	this
day of Africa	., 19%/	
My Commission Expires Sept. 26, 1	921 SAFEST A	Munt
	TAT	P. H.
6—1044	I WILL	my runus

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,						
	July 29 , 1 921						
I, U. S. Surveyor General for	District of Arizona						
	script of the Field Notes, return and approval						
of the Survey of the mining claim of	J. L. Wade, John F. Wade, Charles						
Snell, and Mrs. Ura Crawford							
, known as the	EURIDA NO. 4 lode						
, situ	uate in Navajo Indian Reservation						
Crawford Mining District,	Apache County,						
	ection 15 , Township No. 13 N.						
	B. & M. , and designated as Survey						
No. 3699, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said							
	a patent, serve fully to identify the premises,						
	o natural objects or permanent monuments as						
will perpetuate and fix the <i>locus</i> thereof.	o natural objects of permanent monuments as						
	red dollars' worth of labor has been expended						
	g claim by claimants or their grantors, and						
	J. S. Carriero, and						

and that no portion of said labor or impro	ovements has been included in the estimate of						
expenditures upon any other claim.							
I further certify that the plat thereof,	filed in the U.S. Land Office at Phoenix.						
Arizona is correct and in c	conformity with the foregoing Field Notes.						
	Frank P. Trott						
United States Sur	never General for Arizona						

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoe	enix, Arizona,	
		Jul	y 29, 19 21
I, U. S. Surveyor General for	Distri	ct of Arizona	
do hereby certify that the foregoing a	nd hereto attached Fie	ld Notes and Return	n of the Survey of the
Mining Claim of J. L. Wade	. John F. Wade,	Charles Snel	1, and
Mrs. Ura Crawford			
			, known as the
	EURIDA NO.4	lode	
situate in Navajo Indian Res	Crawford		mining district,
Apache	County,	Ariz	ona, Approx.
in Section, T			
, designated as Su			
executed by	llison L. Kroeg	er	, U. S. Mineral
Surveyor, February 13 - M	arch 31	, 19 21, under	my instructions dated
September 13	, 1920, have been c	ritically examined a	nd the necessary cor-
rections and explanations made, and t	the said Field Notes an	d Return, and the S	Survey they describe,
are hereby approved. The certified co	ppy of the location certi	ificate filed by the ap	pplicant for survey is
on file in this office and a true copy of s	said certified copy of sai	d location certificate	is included and made
a part of the transcript of the field no			
	From	u Gar	Trott

U. S. Surveyor General for _____Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3699 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Eurida No.4 lode, Mineral Survey No. 3699, located in approx. section 15, Township 13 North, Range 8 West, (canceled), Navajo Base and Meridian, Arizona, and sections 14 and 15, Township 39 North, Range 28 East (unsurveyed), Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Eurida No.4 lode M.S. 3699, was canceled April 7, 2010, by memo 9605 (956) M.S. 3699, which is now a part of the original field notes."

April 7, 2010

Date

Chief Cadastral Surveyor of Arizona